



COLLECTION
SUNDOWN



Clinker, as a universal material, comes back in a totally new version. Sundown by Maja Ganszyniec collection is a tribute to traditional materials and methods of construction material production. This is also an opportunity to go beyond our interiors and look at buildings and their style comprehensively and highly creatively. The collection is rooted in tradition – by means of colours, formats and surface types. However, Sundown clinker is modern thanks to its technology which guarantees robustness. This enables to restore clinker to architectural and interior designs.

MAJA

GANSZYNIEC

Maja Ganszyniec is a world-renowned designer of furniture and industrial products, who runs her own STUDIO GANSZYNIEC in Warsaw. Her designs combine innovation and timeless style with ecological solutions. Maja Ganszyniec's works have been shown at exhibitions, e.g. in Milan, Amsterdam, London and Berlin, and published in major industry magazines such as Domus, Icon, Abitare and Wallpaper. In her career, Ganszyniec has collaborated with brands such as IKEA, Comforty, Noti and Leroy Merlin. Neve Creative is Maja's second cooperation with Ceramika Paradyż.

PARADYZ



MAIN FEATURES OF THE PRODUCT

NON SLIP PROPERTIES

Thanks to their high non-slip properties, the clinker tiles protect from slipping and falling. These parameters make them great for outdoor stairs as well.

IMPROVED DURABILITY

Clinker is a hard material with high wear resistance which is not easy to scratch or damage. This is highly important, in particular, for terrace tiles where the risk of scratching or damage is much higher than in any other areas.

EASY TO KEEP CLEAN

High usable parameters make clinker tiles easy to keep clean which is why they retain their visual appeal even many years later. Cleaning does not require any time-consuming activities and cleaning agents are sold by any store offering household chemicals.

RESISTANT TO ADVERSE WEATHER

Clinker products are resistant to adverse weather. They have low absorption (0.5–3%) which places them among frost resistant tiles. Their appearance is not affected by moisture, sunshine or high temperature fluctuations.




TABLE OF CONTENTS

SUNDOWN
SAND



page 6-12

SUNDOWN
TERRA



page 13-19

SUNDOWN
MARRONE



page 20-26

SUNDOWN
COTTO



page 27-33

SUNDOWN
TUNDRA




page 34-41

COLLECTION
SUNDOWN

SAND



SUNDOWN SAND



Sand, inspired by light clay colour, refers to historical buildings dating back to 1930s and 1940s. In certain regions, it was a highly popular colour of yellow façade bricks. This smart yellow hue looks great in interiors as well thanks to its space-lighting properties.

SUNDOWN
SAND

PARADYZ



◆ COLLECTION ELEMENTS

SUNDOWN

SAND



elevation matt
24,5x6,6 cm



elevation matt structure
24,5x6,6 cm



elevation glossy
24,5x6,6 cm



elevation glossy structure
24,5x6,6 cm



◆ COLLECTION ELEMENTS

SUNDOWN


SAND



matt structure
30x30 cm



sill matt
24,5x13,5 cm



**stair tread with bullnose
matt structure**
30x33 cm



**corner stair tread with bullnose
matt structure**
33x33 cm



◆ TECHNICAL PARAMETERS

name	index	size [cm]	surface type	thickness [mm]
SUNDOWN SAND SILL 24,5X13,5	Z---245X135-1-SUND.SA	24,5X13,5	MATT	11
SUNDOWN SAND ELEVATION GLOSSY STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.SA-B	24,5X6,6	GLOSSY STRUCTURE	7
SUNDOWN SAND ELEVATION GLOSSY 24,5X6,6	Z---245X066-1-SUND.SA-B	24,5X6,6	GLOSSY	7
SUNDOWN SAND ELEVATION MATT STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.SA-M	24,5X6,6	MATT STRUCTURE	7
SUNDOWN SAND ELEVATION MATT 24,5X6,6	Z---245X066-1-SUND.SA-M	24,5X6,6	MATT	7
SUNDOWN SAND STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	Z---300X330-1-SUND.SAKP	30X33	MATT STRUCTURE	11
SUNDOWN SAND CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	Z---330X330-1-SUND.SAKN	33X33	MATT STRUCTURE	11
SUNDOWN SAND CLINKER 30,0X30,0	Z---300X300-1-SUND.SA	30X30	MATT STRUCTURE	8,5

◆

PACKING PARAMETERS

name	UM	number of pcs in a box	number of m ² in a box	weight of packing (kg)	number of m ² on a pallet	weight of a pallet (kg)
SUNDOWN SAND SILL 24,5X13,5	pcs	20	0,66	16,4	51,6	1279
SUNDOWN SAND ELEVATION GLOSSY STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN SAND ELEVATION GLOSSY 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN SAND ELEVATION MATT STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN SAND ELEVATION MATT 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN SAND STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	pcs	6	0,59	18,3	21,4	659
SUNDOWN SAND CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	pcs	2	0,22	7,6	13,5	469
SUNDOWN SAND CLINKER 30,0X30,0	m ²	14	1,26	24,6	52,9	1032


COLLECTION
SUNDOWN

TERRA



SUNDOWN
TERRA

PARADYZ



Terra or a tribute to traditional red clay. The natural material colour is ageless as it has always accompanied humans. Its universal nature, expressed by an unchanged raw material colour, should be emphasized and exposed. We draw from nature which finds the best solutions.

SUNDOWN
TERRA

PARADYZ





COLLECTION ELEMENTS

SUNDOWN

TERRA



elevation matt
24,5x6,6 cm



elevation matt structure
24,5x6,6 cm



elevation glossy
24,5x6,6 cm




elevation glossy structure
24,5x6,6 cm



◆ COLLECTION ELEMENTS

SUNDOWN

TERRA



matt structure
30x30 cm




sill matt
24,5x13,5 cm



stair tread with bullnose
matt structure
30x33 cm



corner stair tread with bullnose
matt structure
33x33 cm



◆

PACKING PARAMETERS

name	index	size [cm]	surface type	thickness [mm]
SUNDOWN TERRA SILL 24,5X13,5	Z---245X135-1-SUND.TE	24,5X13,5	MATT	11
SUNDOWN TERRA ELEVATION GLOSSY STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.TE-B	24,5X6,6	GLOSSY STRUCTURE	7
SUNDOWN TERRA ELEVATION GLOSSY 24,5X6,6	Z---245X066-1-SUND.TE-B	24,5X6,6	GLOSSY	7
SUNDOWN TERRA ELEVATION MATT STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.TE-M	24,5X6,6	MATT STRUCTURE	7
SUNDOWN TERRA MATT ELEVATION 24,5X6,6	Z---245X066-1-SUND.TE-M	24,5X6,6	MATT	7
SUNDOWN TERRA STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	Z---300X330-1-SUND.TEKP	30X33	MATT STRUCTURE	11
SUNDOWN TERRA CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	Z---330X330-1-SUND.TEKN	33X33	MATT STRUCTURE	11
SUNDOWN TERRA CLINKER 30,0X30,0	Z---300X300-1-SUND.TE	30X30	MATT STRUCTURE	8,5

◆

PACKING PARAMETERS

name	UM	number of pcs in a box	number of m ² in a box	weight of packing (kg)	number of m ² on a pallet	weight of a pallet (kg)
SUNDOWN TERRA SILL 24,5X13,5	pcs	20	0,66	16,4	51,6	1279
SUNDOWN TERRA ELEVATION GLOSSY STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TERRA ELEVATION GLOSSY 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TERRA ELEVATION MATT STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TERRA MATT ELEVATION 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TERRA STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	pcs	6	0,59	18,3	21,4	659
SUNDOWN TERRA CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	pcs	2	0,22	7,6	13,5	469
SUNDOWN TERRA CLINKER 30,0X30,0	m ²	14	1,26	24,6	52,9	1032

COLLECTION
SUNDOWN

MARRONE



SUNDOWN
MARRONE

Marrone is a unique, characteristic sour cherry colour known from Modernistic tenement houses. Thanks to its popular use on façades, this dark, deep sour cherry colour entered the Modernism palette, thus becoming ageless. Its extraordinary hue added elegance to entrance and to representative areas.



SUNDOWN
MARRONE

PARADYZ





COLLECTION ELEMENTS

SUNDOWN

MARRONE



elevation matt
24,5x6,6 cm



elevation matt structure
24,5x6,6 cm



elevation glossy
24,5x6,6 cm




elevation glossy structure
24,5x6,6 cm





SUNDOWN

MARRONE



matt structure
30x30 cm



COLLECTION ELEMENTS




sill matt
24,5x13,5 cm



stair tread with bullnose
matt structure
30x33 cm



corner stair tread with bullnose
matt structure
33x33 cm



◆ TECHNICAL PARAMETERS

name	index	size [cm]	surface type	thickness [mm]
SUNDOWN MARRONE SILL 24,5X13,5	Z---245X135-1-SUND.MA	24,5X13,5	MATT	11
SUNDOWN MARRONE ELEVATION GLOSSY STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.MA-B	24,5X6,6	GLOSSY STRUCTURE	7
SUNDOWN MARRONE ELEVATION GLOSSY 24,5X6,6	Z---245X066-1-SUND.MA-B	24,5X6,6	GLOSSY	7
SUNDOWN MARRONE ELEVATION MATT STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.MA-M	24,5X6,6	MATT STRUCTURE	7
SUNDOWN MARRONE MATT ELEVATION 24,5X6,6	Z---245X066-1-SUND.MA-M	24,5X6,6	MATT	7
SUNDOWN MARRONE STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	Z---300X330-1-SUND.MAKP	30X33	MATT STRUCTURE	11
SUNDOWN MARRONE CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	Z---330X330-1-SUND.MAKN	33X33	MATT STRUCTURE	11
SUNDOWN MARRONE CLINKER 30,0X30,0	Z---300X300-1-SUND.MA	30X30	MATT STRUCTURE	8,5

◆

PACKING PARAMETERS

name	UM	number of pcs in a box	number of m ² in a box	weight of packing (kg)	number of m ² on a pallet	weight of a pallet (kg)
SUNDOWN MARRONE SILL 24,5X13,5	pcs	20	0,66	16,4	51,6	1279
SUNDOWN MARRONE ELEVATION GLOSSY STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN MARRONE ELEVATION GLOSSY 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN MARRONE ELEVATION MATT STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN MARRONE MATT ELEVATION 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN MARRONE STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	pcs	6	0,59	18,3	21,4	659
SUNDOWN MARRONE CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	pcs	2	0,22	7,6	13,5	469
SUNDOWN MARRONE CLINKER 30,0X30,0	m ²	14	1,26	24,6	52,9	1032

COLLECTION
SUNDOWN

COTTO



SUNDOWN
COTTO

Cotto is a raw brick colour, light and warm. Traditionally found on the façades of historic buildings, it is now used on the facades of contemporary residential and commercial developments.

SUNDOWN
COTTO

PARADYZ





COLLECTION ELEMENTS

SUNDOWN

COTTO



elevation matt
24,5x6,6 cm



elevation matt structure
24,5x6,6 cm



elevation glossy
24,5x6,6 cm



elevation glossy structure
24,5x6,6 cm



◆ COLLECTION ELEMENTS

SUNDOWN

COTTO



matt structure
30x30 cm



sill matt
24,5x13,5 cm



stair tread with bullnose
matt structure
30x33 cm



corner stair tread with bullnose
matt structure
33x33 cm



◆ TECHNICAL PARAMETERS

name	index	size [cm]	surface type	thickness [mm]
SUNDOWN COTTO SILL 24,5X13,5	Z---245X135-1-SUND.CT	24,5X13,5	MATT	11
SUNDOWN COTTO ELEVATION GLOSSY STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.CT-B	24,5X6,6	GLOSSY STRUCTURE	7
SUNDOWN COTTO ELEVATION GLOSSY 24,5X6,6	Z---245X066-1-SUND.CT-B	24,5X6,6	GLOSSY	7
SUNDOWN COTTO ELEVATION MATT STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.CT-M	24,5X6,6	MATT STRUCTURE	7
SUNDOWN COTTO ELEVATION MATT 24,5X6,6	Z---245X066-1-SUND.CT-M	24,5X6,6	MATT	7
SUNDOWN COTTO STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	Z---300X330-1-SUND.CTKP	30X33	MATT STRUCTURE	11
SUNDOWN COTTO CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	Z---330X330-1-SUND.CTKN	33X33	MATT STRUCTURE	11
SUNDOWN COTTO CLINKER 30,0X30,0	Z---300X300-1-SUND.CT	30X30	MATT STRUCTURE	8,5

◆

PACKING PARAMETERS

name	UM	number of pcs in a box	number of m ² in a box	weight of packing (kg)	number of m ² on a pallet	weight of a pallet (kg)
SUNDOWN COTTO SILL 24,5X13,5	pcs	20	0,66	16,4	51,6	1279
SUNDOWN COTTO ELEVATION GLOSSY STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN COTTO ELEVATION GLOSSY 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN COTTO ELEVATION MATT STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN COTTO ELEVATION MATT 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN COTTO STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	pcs	6	0,59	18,3	21,4	659
SUNDOWN COTTO CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	pcs	2	0,22	7,6	13,5	469
SUNDOWN COTTO CLINKER 30,0X30,0	m ²	14	1,26	24,57	52,9	1032

COLLECTION
SUNDOWN

TUNDRA




SUNDOWN

TUNDRA

PARADYZ

Tundra refers to dark green so popular today. This modern colour is inspired by green which became used more extensively for ceramic wall cladding in 1960s. The products those days had deep structures and different textures, making intense, strong visual decorations. Green with a deep structure and shine is a tribute to the mosaics of the past.





SUNDOWN

TUNDRA

PARADYZ





SUNDOWN
TUNDRA

PARADYZ





COLLECTION ELEMENTS

SUNDOWN

TUNDRA



elevation matt
24,5x6,6 cm



elevation matt structure
24,5x6,6 cm



elevation glossy
24,5x6,6 cm



elevation glossy structure
24,5x6,6 cm



◆ COLLECTION ELEMENTS

SUNDOWN

TUNDRA



matt structure
30x30 cm



sill matt
24,5x13,5 cm



stair tread with bullnose
matt structure
30x33 cm



corner stair tread with bullnose
matt structure
33x33 cm



◆ TECHNICAL PARAMETERS

name	index	size [cm]	surface type	thickness [mm]
SUNDOWN TUNDRA SILL 24,5X13,5	Z---245X135-1-SUND.TD	24,5X13,5	MATT	11
SUNDOWN TUNDRA ELEVATION GLOSSY STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.TD-B	24,5X6,6	GLOSSY	7
SUNDOWN TUNDRA ELEVATION GLOSSY 24,5X6,6	Z---245X066-1-SUND.TD-B	24,5X6,6	GLOSSY	7
SUNDOWN TUNDRA ELEVATION MATT STRUCTURE 24,5X6,6	ZS--245X066-1-SUND.TD-M	24,5X6,6	MATT STRUCTURE	7
SUNDOWN TUNDRA ELEVATION MATT 24,5X6,6	Z---245X066-1-SUND.TD-M	24,5X6,6	MATT	7
SUNDOWN TUNDRA STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	Z---300X330-1-SUND.TDKP	30X33	MATT STRUCTURE	11
SUNDOWN TUNDRA CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	Z---330X330-1-SUND.TDKN	33X33	MATT STRUCTURE	11
SUNDOWN TUNDRA CLINKER 30,0X30,0	Z---300X300-1-SUND.TD	30X30	MATT STRUCTURE	8,5

◆

PACKING PARAMETERS

name	UM	number of pcs in a box	number of m ² in a box	weight of packing (kg)	number of m ² on a pallet	weight of a pallet (kg)
SUNDOWN TUNDRA SILL 24,5X13,5	pcs	20	0,66	16,4	51,6	1279
SUNDOWN TUNDRA ELEVATION GLOSSY STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TUNDRA ELEVATION GLOSSY 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TUNDRA ELEVATION MATT STRUCTURE 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TUNDRA ELEVATION MATT 24,5X6,6	m ²	46	0,74	11,4	73,3	1128
SUNDOWN TUNDRA STAIR TREAD WITH BULLNOSE MATT STRUCTURE 30,0X33,0	pcs	6	0,59	18,3	21,4	659
SUNDOWN TUNDRA CORNER STAIR TREAD WITH BULLNOSE MATT STRUCTURE 33,0X33,0	pcs	2	0,22	7,6	13,5	469
SUNDOWN TUNDRA CLINKER 30,0X30,0	m ²	14	1,26	24,6	52,9	1032

◆
COLLECTION
SUNDOWN

TILE ARRANGEMENTS





EXAMPLES OF TILES COMBINATION

COLLECTION

SUNDOWN

