



TIGUA

COLLECTION OF CERAMIC TILES

GLAZED PORCELAIN MATT



PARADYZ.RU

ОФИЦИАЛЬНЫЙ ПАРТНЕР

+7 (495) 545 - 45 - 63

BEIGE
2/5

BROWN
6/9

BIANCO
10/13

GRYS
14/17

GRAFIT
18/19

TIGUA




mix'n'match [!]




TIGUA



BEIGE



TIGUA BEIGE stair tread 59,8x29,8




TIGUA BEIGE stair tread 119,8x29,8




TIGUA BEIGE 59,8x29,8




TIGUA BEIGE 119,8x29,8




TIGUA BEIGE skirting board 59,8x7,2



TIGUA BEIGE 59,8x59,8



TIGUA BEIGE 119,8x59,8

TIGUA BEIGE mosaic 29,8x29,8
(cube 4,8x4,8)TIGUA BEIGE inserto A
29,8x29,84
2100TIGUA BEIGE inserto B
29,8x29,84
2100TIGUA BEIGE inserto C
29,8x29,84
2100TIGUA BEIGE inserto D
29,8x29,84
2100

Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



R10

4
12000



TIGUA



BROWN



TIGUA BROWN stair tread 59,8x29,8




TIGUA BROWN stair tread 119,8x29,8



TIGUA BROWN 59,8x29,8



TIGUA BROWN 119,8x29,8




TIGUA BROWN skirting board 59,8x7,2



TIGUA BROWN 59,8x59,8



TIGUA BROWN 119,8x59,8




TIGUA BROWN mosaic 29,8x29,8
(cube 4,8x4,8)



TIGUA BROWN inserto A
29,8x29,8

3
750



TIGUA BROWN inserto B
29,8x29,8

3
750



TIGUA BROWN inserto C
29,8x29,8

3
750



TIGUA BROWN inserto D
29,8x29,8

3
750



Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



R10




3
750




TIGUA




BIANCO




TIGUA BIANCO stair tread 59,8x29,8



TIGUA BIANCO stair tread 119,8x29,8



TIGUA BIANCO 59,8x29,8



TIGUA BIANCO 119,8x29,8




TIGUA BIANCO skirting board 59,8x7,2



TIGUA BIANCO 59,8x59,8



TIGUA BIANCO 59,8x119,8



TIGUA BIANCO mosaic
29,8x29,8 (cube 4,8x4,8)



TIGUA GRYS inserto A
29,8x29,8

4
2100



TIGUA GRYS inserto B
29,8x29,8

4
2100



TIGUA GRYS inserto C
29,8x29,8

4
2100



TIGUA GRYS inserto D
29,8x29,8

4
2100



Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



R10



5

>12000





TIGUA



GRYS



GRAFIT





TIGUA GRYS stair tread 59,8x29,8



TIGUA GRYS stair tread 119,8x29,8



TIGUA GRYS 59,8x29,8




TIGUA GRYS 119,8x29,8




TIGUA GRYS skirting board 59,8x7,2



TIGUA GRYS 59,8x59,8



TIGUA GRYS 119,8x59,8



TIGUA GRYS mosaic 29,8x29,8
(cube 4,8x4,8)



TIGUA GRYS inserto A
29,8x29,8

4
2100



TIGUA GRYS inserto B
29,8x29,8

4
2100



TIGUA GRYS inserto C
29,8x29,8

4
2100



TIGUA GRYS inserto D
29,8x29,8

4
2100



Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.






TIGUA GRAFIT stair tread 59,8x29,8



TIGUA GRAFIT stair tread 119,8x29,8



TIGUA GRAFIT 59,8x29,8



TIGUA GRAFIT 119,8x29,8




TIGUA GRAFIT skirting board 59,8x7,2



TIGUA GRAFIT 59,8x59,8



TIGUA GRAFIT 119,8x59,8



TIGUA GRAFIT mosaic 29,8x29,8
(cube 4,8x4,8)



TIGUA GRAFIT inserto A
29,8x29,8

3
750




TIGUA GRAFIT inserto B
29,8x29,8

3
750



TIGUA GRAFIT inserto C
29,8x29,8

3
750



TIGUA GRAFIT inserto D
29,8x29,8

3
750



Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.




B

R10

3
750





Finished products packaging

	Size [cm]	No. tiles in box	Amount m ² in a box	Weight of the box	Amount on a pallet	Palette weight [kg]
Base tiles	59,8x119,8x1,1	1	0,72	18,5	30,24 m ²	802
	29,8x119,8x1,1	4	1,43	36,7	42,9 m ²	1125,4
	59,8x59,8x1,1	4	1,43	36,7	34,32 m ²	905,32
	29,8x59,8x1,1	7	1,25	32,1	40 m ²	1050,92
skirting board	7,2x59,8x1,1	9	-	8,53	648 pcs	639,304
inserto	29,8x29,8x1,1	7	-	15,33	252 pcs	576,88
mosaic	29,8x29,8x1,1	7	-	12,6	252 pcs	478,6
stair-tread	29,8x59,8x1,1	4	-	16,8	208 pcs	898,6
	29,8x119,8x1,1	2	-	18	40 pcs	385

Symbol explanation



Wall tiles



Floor tiles

R10

Slip resistance

3
1500

Porcelain Enamel Institute (PEI) Abrasion rating / Number of rotations



Anti-slip resistance – “barefoot”



Frost resistance



Rectified tiles. Rectification is a method of mechanical processing which consists in milling tile edges at a right angle to their surface. As a result, the elements obtained may be assembled without worrying about differences in size. In the rectification process tiles from the given batch all acquire the same size (with accuracy to 0.2 mm). This solution also allows to obtain even tile surface due to minimal joint thickness.



Tonal tiles – each tile is unique in comparison to the model tile. Tonal differences are likely to occur. Tiles are packed at random.

The present catalogue is not an offer under the Civil Code provisions. Actual tile appearance may vary from illustrations. More technical information is available on www.paradyz.com/en



My way
PARADYŻ GROUP

CERAMIKA PARADYŻ SP. Z O.O.
UL. PIOTRKOWSKA 61, 26-300 OPÓCZNO, POLAND
TEL. +48 (44) 736 41 00, FAX +48 (44) 736 41 06
EXPORT WEST +48 (44) 736 42 75, 736 42 76
WWW.PARADYZ.COM