



TECNIQ

COLLECTION OF CERAMIC TILES

GLAZED PORCELAIN



PARADYZ.RU

ОФИЦИАЛЬНЫЙ ПАРТНЕР

+7 (495) 545 - 45 - 63



TECNIQ

BIANCO
4/5

BEIGE
6/7

GRYS
8/11

GRAFIT
12/13

SILVER
16/17

NERO
18/19

PARADYZ[®]
CERAMIKA



TECNIQ



BIANCO



BEIGE



TECNIQ BIANCO matt/semi-polished 59,8x29,8



TECNIQ BIANCO matt/semi-polished 89,8x44,8




TECNIQ BIANCO matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

5
>12000 SEMI-POLISHED TILES

R10 MATT TILES

5
>12000 MATT TILES

TECNIQ BIANCO stair tread matt/semi-polished 59,8x29,8



TECNIQ BIANCO skirting board matt/semi-polished 59,8x7,2

TECNIQ BIANCO cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)

TECNIQ BIANCO listel mix stripes 71x14,8

R10
4
2100Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



TECNIQ BEIGE matt/semi-polished 59,8x29,8



TECNIQ BEIGE matt/semi-polished 89,8x44,8



TECNIQ BEIGE matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

5 >12000 SEMI-POLISHED TILES

R10 MATT TILES


4 6000 MATT TILES



TECNIQ BEIGE stair tread matt/semi-polished 59,8x29,8



TECNIQ BEIGE skirting board matt/semi-polished 59,8x7,2

TECNIQ BEIGE cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)

TECNIQ BEIGE listel mix stripes 71x14,8


R10
4
6000



TECNIQ



GRYS



GRAFIT



TECNIQ GRYS matt/semi-polished 59,8x29,8



TECNIQ GRYS matt/semi-polished 89,8x44,8



TECNIQ GRYS matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

4
6000 SEMI-POLISHED TILES

R10 MATT TILES

5
>12000 MATT TILES


TECNIQ GRYS stair tread matt/semi-polished 59,8x29,8




TECNIQ GRYS listel mix stripes 71x14,8


R10
4
2100

TECNIQ GRYS skirting board matt/semi-polished 59,8x7,2

TECNIQ GRYS cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



TECNIQ GRAFIT matt/semi-polished 59,8x29,8



TECNIQ GRAFIT matt/semi-polished 89,8x44,8




TECNIQ GRAFIT matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

4
2100 SEMI-POLISHED TILES


R10 MATT TILES

4
2100 MATT TILES

TECNIQ GRAFIT stair tread matt/semi-polished 59,8x29,8



TECNIQ GRAFIT skirting board matt/semi-polished 59,8x7,2

TECNIQ GRAFIT cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)

TECNIQ GRAFIT listel mix stripes 71x14,8

R10
3
750



TECNIQ




SILVER

NERO



TECNIQ SILVER matt/semi-polished 59,8x29,8



TECNIQ SILVER matt/semi-polished 89,8x44,8



TECNIQ SILVER matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

4
2100 SEMI-POLISHED TILES


R10 MATT TILES

4
6000 MATT TILES

TECNIQ SILVER stair tread matt/semi-polished 59,8x29,8




TECNIQ SILVER skirting board matt/semi-polished 59,8x7,2


TECNIQ SILVER cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)

TECNIQ SILVER listel mix stripes 71x14,8

R10
4
2100



TECNIQ NERO matt/semi-polished 59,8x29,8



TECNIQ NERO matt/semi-polished 89,8x44,8




TECNIQ NERO matt/semi-polished 59,8x59,8



R10 SEMI-POLISHED TILES

3
750 SEMI-POLISHED TILES


R10 MATT TILES

3
750 MATT TILES

TECNIQ NERO stair tread matt/semi-polished 59,8x29,8



TECNIQ NERO skirting board matt/semi-polished 59,8x7,2

TECNIQ NERO cut mosaic
matt/semi-polished 29,8x29,8
(cube 4,8x14,8)

TECNIQ NERO listel mix stripes 71x14,8

R9
3
750Each tile is unique in comparison to the model tile.
Tonal differences are likely to occur.



Finished products packaging

	Size [cm]	No. tiles in box	Amount m ² in a box	Weight of the box	Amount on a pallet	Palette weight [kg]
Base tiles	59,8x29,8x1	8	1,43	32,32	45,76 m ²	1034,18
	59,8x59,8x1	5	1,79	40,45	42,96 m ²	995,9
	89,8x44,8x1	3	1,21	27,35	21,78 m ²	517,23
Stair-tread	59,8x29,8x1	4	-	16,8	208 pcs	898,6
Skirting board	59,8x7,2x1	10	-	10,5	720 pcs	781
Listel mix stripes	71x14,8x1	5	-	9,5	150 pcs	310
Mosaic	29,8x29,8x1	7	-	14	252 pcs	529

Symbol explanation



Wall tiles



Floor tiles



R10 Slip resistance



1500 Porcelain Enamel Institute (PEI) Abrasion rating / Number of rotations



Frost resistance



Rectified tiles. Rectification is a method of mechanical processing which consists in milling tile edges at a right angle to their surface. As a result, the elements obtained may be assembled without worrying about differences in size. In the rectification process tiles from the given batch all acquire the same size (with accuracy to 0.2 mm). This solution also allows to obtain even tile surface due to minimal joint thickness.



Tonal tiles – each tile is unique in comparison to the model tile. Tonal differences are likely to occur. Tiles are packed at random.



PARADYZ
CERAMIKA

CERAMIKA PARADYZ SP. Z.O.O.
UL. PIOTRKOWSKA 61, 26-300 Opoczno, POLAND
TEL. +48 (44) 736 41 00, FAX +48 (44) 736 41 06
EXPORT West +48 (44) 736 42 75, 736 42 76
WWW.PARADYZ.COM